






Технические характеристики







МОДЕЛЬ	DN	Мощность	Q	H	Напряжение	л/мин															
						0	50	100	150	233	283	350	400	467	533	583	633	700	750	817	
Трехфазный	мм	Вт	м ³ /ч	м	В	0	3	6	9	14	17	21	24	28	32	35	38	42	45	49	
FBS40-12F	40x40	700/450/400	14/11/8	14.3/12.4/11.2	3~380	14.3	13.6	11.8	8.7	0.5	-	-	-	-	-	-	-	-	-	-	-
FBS40-16F	40x40	1000/700/600	17/13.6/12	16/15.5/14.3	3~380	16	15.5	14.4	12.6	6	0.5	-	-	-	-	-	-	-	-	-	-
FBS50-12F	50x50	1000/700/600	24/18.5/13	13/11/10	3~380	13	-	12	10.7	8	6	2.6	0.5	-	-	-	-	-	-	-	-
FBS50-16F	50x50	1300/1000/900	28/25.7/24	16.5/15.8/14.8	3~380	16.5	-	15.7	15	13.2	11.7	9	6	0.5	-	-	-	-	-	-	-
FBS50-20F	50x50	1300/1000/900	24.3/22.2/18.5	20/17.5/16	3~380	20	-	18.6	17.3	14.2	11.5	6.2	1	-	-	-	-	-	-	-	-

Кривая производительности




Технические характеристики

МОДЕЛЬ	DN	Мощность	Q	H	Напря- жение	л/мин																
						0	50	100	150	233	283	350	400	467	533	583	633	700	750	817		
Трехфазный	мм	Вт	м ³ /ч	м	В	м ³ /ч	0	3	6	9	14	17	21	24	28	32	35	38	42	45	49	
FBS65-5F	65x65	700/450/400	31.8/28.1/25.2	6.2/5/4.4	3~380	6.2	-	-	5.2	4.4	3.9	3	2.3	1.3	0.5	-	-	-	-	-	-	-
FBS65-8F	65x65	700/450/400	35/28.1/25.2	8.1/6.5/5.4	3~380	8.1	-	-	7.3	6.5	6	5	4.2	3	1.7	0.5	-	-	-	-	-	-
FBS65-10F	65x65	1000/700/600	38/34/30	10.2/8.5/7.1	3~380	10.2	-	-	8.9	7.9	7.2	6.1	5.3	4	2.5	1.3	0.5	-	-	-	-	-
FBS65-12F	65x65	1300/1000/900	49/44/38	13.3/11/9.5	3~380	13.3	-	-	-	-	10.7	10	9.2	8.1	7	6	5	3.5	2.1	0.5	-	-
FBS80-10F	80x80	1000/700/600	35/29/27	10/8/7	3~380	10	-	-	8.6	7.7	7	6	5.3	4.2	3	2	-	-	-	-	-	-
FBS80-12F	80x80	1300/1000/900	42/36/33	12/10/9	3~380	12	-	-	-	10	9.5	8.7	8	7	6	5.2	4.3	3	-	-	-	-



Размер и вес



МОДЕЛЬ	Размер (мм)																	Вес
	DN	H1	H2	H3	L1	L2	B1	B2	B3	B4	D1	D2	D3	D4	D5	D6	M	Kr
FBS40-12F	40x40	65	232	297	250	115	80	154	80	62.5	40	17.5	13.5	110	100	150	10	15.3
FBS40-16F	40x40	65	232	297	250	115	80	154	80	62.5	40	17.5	13.5	110	100	150	10	16.9
FBS50-12F	50x50	72	232	304	280	140	88	154	90	75	50	17.5	13.5	125	110	165	10	17.5
FBS50-16F	50x50	72	257	329	280	140	88	154	90	75	50	17.5	13.5	125	110	165	10	19.6
FBS50-20F	50x50	72	257	329	280	140	88	154	90	75	50	17.5	13.5	125	110	165	10	19.8
FBS65-5F	65x65	78	232	310	280	140	88	154	90	76	65	17.5	13.5	145	130	180	10	18
FBS65-8F	65x65	78	232	310	280	140	88	154	90	76	65	17.5	13.5	145	130	180	10	18.2
FBS65-10F	65x65	78	232	310	280	150	93	154	90	76	65	17.5	13.5	145	130	185	10	19.7
FBS65-12F	65x65	78	257	335	280	150	93	154	90	76	65	17.5	13.5	145	130	185	10	21.5
FBS80-10F	80x80	88	232	320	360	150	93	154	90	76	80	17.5	13.5	150	140	200	10	25
FBS80-12F	80x80	88	257	345	360	150	93	154	90	76	80	17.5	13.5	150	140	200	10	27